BILL NO. S-77-06- 52.

SPECIAL ORDINANCE NO. S-14/-77


AN ORDINANCE approving blanket purchase order: for materials for the Water Maintenance and Service Department.

BE IT ORDAINED BY THE COMMON COUNCIL OF THE CITY OF FORT WAYNE, INDIANA:

SECTION 1. That the contract dated May 31, 1977, between the City of Fort Wayne, by and through its Mayor and the Board of Public Works and Cooper Distributing, City Utilities Purchase Order No. B-8972, for a blanket order for 75 Fire Hydrants for the period from July 1, 1977 thru December 31, 1977, all for a estimated maximum cost of \$22,427.25 to be charged against Water Utility as the supplies are needed, which said purchase order is on file in the Office of the Department of Purchasing and are by reference incorporated herein, made a part hereof and is hereby in all things ratified, confirmed and approved.

SECTION 2. This Ordinance shall be in full force and effect from and after its passage and approval by the Mayor.





Read the fi	rst time in full and	on motion by	Burn	, seconded by	٠.
_ Qulorei	, and duly a	dopted, read	the second time b	y title and referred to	the
Committee on	Porty J	teletie	(and the City	Plan Commission for	
recommendation)	and Public Hearing	to be held af	ter due legal notic	e, at the Council Cham	bers,
City-County Build	ling, Fort Wayne, I	ndiana, on _	, t	he	day
of	, 19_	, at	o'clock	1.,E.S.T.	
DATE:	5-28-77		CITY CLE	W. Westerman	>
				)	
Read the th	ird time in full and		- Bri	rno	
seconded by	Llier	, and	duly adopted, pla	aced on its passage.	
PASSED (LOST)	by the following v	ote:			
	AYES	NAYS	ABSTAINED	ABSENT TO-WIT:	
TOTAL VOTES	_8_				_
BURNS					_
HINGA					_
HUNTER					
MOSES					<del>-</del>
NUCKOLS					_
SCHMIDT, D.					_
SCHMIDT, V.					
STIER	~				_
TALARICO				a	_
DATE:	<u>7-12-7</u> 7		Charles U	). Westerman	_
Passed and	adopted by the Cor	nmon Council	of the City of For	t Wayne, Indiana, as	
				RIATION) ORDINANCE	
(RESOLUTION) N	0			1	
Phailis W	That terman	ATTEST:	(SEAL) da		
CITY CLER	W. W		John	Guchols	
ALCO CAROLINA	18 M. 53	-6 el Cierr of		ana, on the 13-0	
Presented	40			( , )	
day of	, 19_3, 8	it the nour of	1:00 o'clock	M.,E.S.T.	
			Charles U	RK RK	
Approved a	and signed by me th	nis <u>  (3±1)</u>	day of	Qu	, 19/7/7
at the hour of	0'cloo	ek	P. Dyn,E	37/1-1	
			Kabat	2 Gunehons	9
			MAYOR	1	

Bill No.							
		REPORT OF TH	E COMMITI	EE ON CIT	Y UTILITIES		
We, your	Committee onC	ity Utilities		to whom was	s referred ar	n Ordinance	
	approving blanket p	urchase order	for mate	rials for t	he Water Mair	ntenance and	
	Service Department						
		, '				•	
•							
				<del></del>			
	· · · · · · · · · · · · · · · · · · ·			···			
				***************************************			
F	× ×						
		-					
have had	said Ordinance unde	4 Aug 1		eg leave to	report back	to the Common	
Council t	that said Ordinance	87	PASS.		W	$\gamma$	
PAUL	M. BURNS - CHAIRMAN	1		Show	In the	you	
FRED	RICK R. HUNTER - VI	CE CHAIRMAN		Sud	Lily RIM	not	
VIVIA	AN G. SCHMIDT			Vivio	20 H. V	Chmiar	
WINF	IELD C. MOSES, JR.			C	Mores	TR	
JAMES	S S. STIER						
	,	7-12-77	2 concur	DED IN			
		1-12	CONCUIT	KED IN			

DATE\_\_\_\_CHARLES W. WESTERMAN, CITY CLERK

# Memorandum

64-264-21 6/15/7

To H. P. Wehrenberg, Board of Works Date June 13, 1977

From \_\_\_\_Ruth Winget, Purchasing Department

Subject Bid Reference #429, 75 Fire Hydrants

COPIES TO:

B. Drew

Herewith are bid documents (Bid #429) relating to Purchase Order No. B-8972 which is prepared favoring Cooper Distributing for 75 Fire Hydrants for Water Maintenance and Service Department.

Vendor	Brand	Unit Price	Total
Cooper Distr.	Waterous WB-67	\$299.03/ea.	\$22,247.25
Mueller Co.	Mueller A419	301.30/ea.	22,597.50
Traverse City	Traverse City H-1-M	320.00/ea.	24,000.00
Kennedy Valve	Kennedy K-10B	326.00/ea.	24,450.00

Eight (8) vendors were invited to bid. Four (4) offerings were submitted. (Cooper Distributing being second lowest net and offering 5% discount on parts.)

Mueller Company offered 2% discount for payment within 30 days which reduces the unit price from \$301.30 to \$295.27. They offered no discount on replacement parts.

Review of the competitive offerings with Water Maintenance and Service Department establishes the following significant considerations:

- Acceptance of the Mueller offering would require the user department to establish duplicate inventory of hydrant parts, e.g. non-interchangeable valves and stems which would more than off-set the unit first cost difference between Mueller and Waterous hydrants.
- 2) The Mueller offering of Model A419 is expected to be superseded in the near future. It would be economically hazardous to commit Water Naintenance and Service to the Mueller hydrant until they are prepared to offer the new model and until Water Engineering has had an opportunity to approve it.
- 3) While the Invitation to Bid was based on an estimated quantity of 75 hydrants to be purchased during the term of the bid - 6 months, revised estimates are now reduced 40 to 50 units. Thus, the apparent total price advantage favoring Mueller would be substantially reduced, and more than off-set by the additional inventory cost.

Accordingly, Purchasing recommends placing this business with Cooper Distributing Company Inc. for Waterous WB-67 fire hydrants.

### Memorandum

To!	. P. Wehremberg, Board of Works	Date	June 1	3, 1977	
From	Ruth Winget, Purchasing Department				
	Bid Reference #429. Fire Hydrants				

### COPIES TO:

- J. Morreale
- B. Drew recommendation for

Attached are the following documents in support of the recommendation for acceptance of Cooper Distributing bid:

- 1. Copy of Tab Sheet.
- 2. All vendors Bids.
- Copy of Purchae Order.
- 4. Copy of Bid Mailing List

It is urged that in referring this bid-quote to the City Council for enactment of an ordinance, that all of the attached items, together with this memorandum (or copies) be included with the proposed ordinance.

Please make sure that no confirming Purchase Order Number (s) is given to Cooper Distributing until evidence of Council approval is furnished to the Purchasing Department.

R. A. Winget

Approved: A. C. Lord

64-264-22 6/15/77

HEF. 429 5/19/77 SING DATE 10:30 A.M. er Maintenance	75-Fire Hydrants				
Cooper Distributing	299.03/ea. 6.00 an D	\$ 5 5 7 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			
Mueller Company *  2fd. O.K.  1290 -30	Mueller A-419 301,30 pea. 6.30 and 090	22,597.50			
Kennedy Valve .  Jd. C.K.  8 90 - 10	Jensely K-10B 326,00 fee 6.50 and 10%	24,250.00	÷	v	
Traverse City  If s. o. K.  2 9c-10 Rup het 30	Feverse City H-M 320,00/ea. 7.00 and 10%	24,000.00			
⊤reaty Company				,	
Tri-State Plumbing					

# CITTY OF FORT WAYNE

# CITY UTILITIES

DEPARTMENT OF PURCHASES ROOM 950 CITY - COUNTY BUILDING NUMBER ONE EAST MAIN STREET FORT WAYNE, INDIANA 46802

Cooper Distributing 3205 North Wells Street Fort Wayne, Indiana 46808

ints number must appear on each seek age, packing slip, invoice, bill of lading syrpess receipt and correspondence.

DATE May 31, 1977

### SHIP TO -

Water Maintenance & Service Dept. 415 East Wallace Street Fort Wayne, Indiana 46803

MAIL ALL INVOICES TO -

GENERAL ACCOUNTING 4th FLOOR CITY-COUNTY BUILDING NUMBER ONE EAST MAIN STREET FORT WAYNE, INDIANA 46802

INVOICE IN DUPLICATE, INCLUDING CERTIFICATION AS REQUIRED BY INDIANA STATE BOARD OF ACCOUNTS

BECEIVED	QUANTITY	DESCRIPTION	W.O. NO.	UNIT PRICE	TOTAL	_
		BLANKET PURCHASE ORDER FOR: THE PERIOD FROM JULY 1, 1977 thru DECEMBE 31, 1977	R			
	75	Fire Hydrants		\$299.03	/ea.	
		Add or Deduct for each 6" variation has trench depth \$6.00 Discount from included parts list 50 miles of the control of the co	eral Acco nty Bldg. t. a 46802	O J	\$22,427. Q	
		RW/pl #4717			L	_

NOTE: TERMS OF PAYMENT MUST BE SHOWN ON FACE OF INVOICE, OTHERWISE A 2% CASH DISCOUNT WILL BE TAKEN

BY		

13205 M. Wellas ity utilities PURCHASE REQUISITION 46808 1-2:-77 Please order the following Material for Delivery as Specified: Reg. No. 4-7/7 On or before 1/15 P. O. No. <u>B8972</u> Blanket Purchoscopicion rder for! Fire Hydronto #299.03/20#22 427.25 derch for lack 6" variation in trench depth \$6.00 luded parts list 5% Yer Bid 16 4# 429 MAR 24 1977 7.0.B. Westings REMARKS CITY UTILITIES In cover period from thru December 31, 1977. Taquirment will be n departmenta released o this blanker order has required buy the usi obe partment.

Cooper Destribute

LIT OF FORT WAYNE ORM DPZB 1-08 DEPARTMENT OF PURCHASES 46802

Number One Main St., Ft. Wayne, Ind.
INVITATION

Contations, subject to the conditions on the reverse hereof, are requested on the following list of materials, supplies, equipment or pervious, for the department as mentioned, with delivery to destination as above theory, Quotations shall include all charges for delivery, packing, etc. Address your reply as indicated below.\*

"Mail all replies and A.C. Lord correspondence, stor to Att of A.C. Lord 423-7037 DEPARTMENT OF PURCHASES

46802 Room '470, Number One Main St., Ft. Wayne, Ind. REQUIRED FOR DELIVERY TO:

Department Water Maintenance & Service Department or Division\_ 415 East Wallace Street

Fort Wayne, Indiana 46803 RETURN ORIGINAL TO THE CITY-RETAIN DUPLICATE COPY FOR YOUR FILE

Time of Bids Thursday, May 19, 1977 at 10:30 A.M.

TAKES: THE CITY IS EXEMPT FROM PEDERAL EXCISE AND INDIANA STATE SALES TALL THE CITYS INDIANA SALES TAL EXEMPTION CERTIFICATE NUMBER IS NO, MICH PRICES SHOULD NOT INCLUDE THESE TAXES, See "Instructions to Bibber" No. 10 on Private Depart for Abable

Quantity Unit	Unit	Maparinia, Supplies, Equipment or Berrices	U-H Prim	Notes N	
		Fire Hydrants - Specifications Attached.	299.03		
•		Estiamted usage for July 1, 1977 thru December 31, 19	77		
		The enclosed Non-Collusion Affidavit must be properly executed and returned as part of your bid			
		We require a guaranteed firm price for the period July 1, 1977 thru December 31,1977 and delivery to our yard within 30 days notification of release.	,	÷	
		This will not be a one time purchase. It is anticipated that release quantities will be 25 to 30 hydrants per release.			
		Your parts list, with discounts, must accompany your bid.			
		A blanket purchase order will be issued to the successful company, after necessary Councilnanic. Approval, and the hydrants are to be delivered only upon issuance of departmental purchase orders.		•	

Bid Bond regal	NO	YES C	Performance	Bond	KO 103	•
			See Instruction Item No. 18 on coverse	alde barrot		
Тетта	_% cas	h discount	if paid within days from delivery	and ac	ceptance of	goods or completion of services
			TO THE OCOUR	n		

In compliance with the above institution for this and subject to all conditions thereof, the understand offers and arrows. If this bid be assembled until the effect can do closing to translate any or shift the lowes or reader such services upon which prices are quotied, in accordance with the smellessione applying and as to their set opposites seed bloom. Delivery of any or all of the items or completion of services indicated shall be made within \_\_days from receipt of orda As delivery may be a deciding factor in the award of me order, it is beportune that hidden formulas the information represent above. IMPORTANT (ST

Blan Herry . 0

Ref. No.

Fund

Date \_\_ April 12, 1977

Date wanted llav 19.

Appropriation No.

# FIRE HYDRANT SPECIFICATIONS Section D - Fire Hydrants (Mains)

Fire hydrants used in the construction of water mains shall be of the traffic type and shall be made in accordance with the latest revisions of the American Water Works Association Standards, designation C502; shall have a six (6) inch mechanical joint bell inlet at the base and all jointing accessories in accordance with section λ-4a of these standards, shall open by turning left (counter clockwise), shall have a minimum valve opening of five (5) inches, shall be equipped with 0-ring packing, one and one-half (1-1/2) inch pentagon operating nut, one four and one-half (4-1/2) inch pumper and two (2) two and one-half (2-1/2) inch hose connections, all on the plane, and having National Standard Fire Hose threads of four (4) threads and seven and one-half (7-1/2) threads per inch, respectively, and a ground line flange and shall be painted Federal Yellow.

The fire hydrant barrels shall be of sufficient length so as to connect with the hydrant leg, attached to the water main, and so the ground line flange is not less than two (2) inches or more than six (6) inches above the finished grade of the adjacent area.

Each fire hydrant shall be installed with a six (6) inch
mechanical joint valve between it and the main to which it is
connected. There shall be a twenty four (24) inch nipple of six
(6) inch pipe between the valve and the hydrant. The following
fire hydrants, or approved equals, are the only fire hydrants
which will be accepted for use in connection with water main
installations:

BRAND NAME:		CATALOG NO.
Kennedy		K-10B
American - Darling		B-62B
Traverse City		H-1-M
Vaterous		WB-67
Mueller	¥	A-419

### ESTIMATED USAGE - 75

Hydrant Traffic Type 5' 6" Bury\$ 299.03	
Add or Doduct for each 6" variation in trench depth\$ 6.00	
Percentage of discount from included parts list 5	9

#### WATEROUS FORE HYDRANTS PACER TYPE Model W-67, WB-67

#### PARTS PRICE LIST

Prices are F.O.B., South St. Paul, Minnesota (Minimum billing any one order - \$15.00)

NUMBER 5214 50673	Packing, valve seat, upper and lower O-Rings	s 1.15
506/3	Gasket, flange, lower standpipe	.75
F1 / 00	Bolt, hex head, lower standpipe (4 required)	.75
51480	5/8-11 x 3 in., w/nut W2010CA	***
F1/0/	Bolt, hex head, upper standpipe (4 required)	.75
51484	5/8-11 x 3-3/4 in., w/nut W2010CA	
W1010-36HTCA	Bolt, hex head, breakoff section (4 required), w/nut W2010CA	.75
*******	Nut. How	.10
		3,20
		.15
		1.30
	Chain, nozzle cap, double	2.80
J1403	Charle, house cap, arrows	
(1)	Cap, nozzle, nut type, 2-1/2 in., w/gasket	9.90
	Cap nozzle, rocker-lug type, 2-1/2 in., w/gasket	9.90
	Cap, nozzle, rocker-lug type, w/provision for chain, w/gasket	9.90
	Cap, numper nozzle, nut type w/gasket	1.7.00
(1)	Cap, pumper nozzle, rocker-lug type w/gasket	17.00
(1)	Cap, pumper nozzle, rocker-lug type w/provision for chain, w/gasket	17.00
	NOTE: FOR VENTED CAPS - ADD \$3.00 EACH	
5204-1	Gasket, cap, rubber, 2-1/2 in.	.25
		1.85
		.90
		3.95
(2)	Nozzle, hose, 2-1/2 in.	12.00
(3)	Nozzle, pumper, 3 to 5 in.	33.00
		.15
	Nut, operating, lower, LH or RH	7.00
61906-(N) (5)	Nut, operating, upper - since 1970	8.50
61906-(N)BZ (5)	Nut, operating, upper - since 1970	16.10
V1954	(always supply with ring No. 90)	. 65
51126	Bushing, valve rod	1.70
		32.50
01730-1,-10(4)		
61727-70	Standpipe, pipe only, 7 ft cover, W-67	143.00
02.2	Add or deduct for each 6 in. variation	9.00
61728-70	Standpipe, pipe only, 7 ft cover, WB-67	132.00
02/20 11	Add or deduct for each 6 in. variation	9.00
61735	Cross arm	5.80
		40.00
		2.20
		2.70
	Main valve, leather	20.30
	W2010CA 51469 W3508-24SS 51483 (1) (1) (1) (1) (1) (1) (1) (1)	#2010CA 51469 Flunger, drain #3050=2485 Fin, cotter, SS, 1/4 x 1-1/2 in. Chain, nozzle cap, single Chain, nozzle cap, double  (1) Cap, nozzle, rocker-lug type, 2-1/2 in., w/gasket (1) Cap, nozzle, rocker-lug type, 2-1/2 in., w/gasket (1) Cap, nozzle, rocker-lug type, y/rovision for chain, w/gasket (1) Cap, nozzle, rocker-lug type, w/grovision for chain, w/gasket (1) Cap, pumper nozzle, nut type w/gasket (1) Cap, pumper nozzle, rocker-lug type w/gasket (1) Cap, pumper nozzle, rocker-lug type w/gasket (1) Cap, pumper nozzle, rocker-lug type w/provision for chain, w/gasket NOTE: FOR VENTED CAPS - ADD \$3.00 EACH  **S204-1** Casket, cap, rubber, 2-1/2 in. Casket, cap, leather, 2-1/2 in. Casket, cap, leather, 2-1/2 in. (2) Casket, pumper cap, rubber (2) Casket, pumper cap, rubber (2) Casket, pumper cap, rubber (2) Nozzle, hose, 2-1/2 in.  **S674-1** Nozzle, pumper, 3 to 5 in. **S674-1** S674-1** S674-1** S674-1** S674-1** S674-1** S674-1** S744-1** S674-1** S674-1** S744-1**

(2) Part number varies with cap size.

(3) Part number varies with thread size.(4) (-L) is OPEN LEFT HYDRANT, (-R) is OPEN RIGHT HYDRANT.

(5) Replace (N) with number corresponding to correct nut size.

NO.	PART NUMBER	DESCRIPTION OF PARTS	UNIT PRICE
35B.	62023	Main valve, rubber "hard"	
36.	61919	Valve washer, lower	\$ 18.30
37.	71509		7.80
3/•	71310	Bottom, mechanical joint, 4 in.	97.00
	71574	, о да.	98.00
	71394	" flanged, 4 in.	93.00
		Hanged, o In.	98.00
	71397	Img-tite, o m.	103.00
	71395	cycon, o in.	173.00
	71396	nuo, o in.	99.00
	71719	" mechanical joint, 8 in.	105.00
38.	5320-N(5)	Wrench, oprating nut & hose spanner	6.00
40.	61729	Breakoff section, standpipe (10 in. long)	29.00
	61729-16	" " (16 in. long)	38.00
	61729-22	" " (22 in. long)	47.00
	61729-28	" " (28 in. long)	56.00
45.	61820-L	Extension, top standpipe, pipe only 6 in. min. length for WB-67	24.00
		12 in. min. length for W-67	33.00
		Add for each 6 in. additional length	9.00
46.	71434	Extension, bottom standpipe 12 in. min. length (see sub-ass'y S. K-444)	205.00
47.	W30204	Gland, mechanical joint, 4 in. pipe	7.00
	50546	4 in. Class B	12.70
47A.	¥30206	Gland, mechanical joint, 6 in. pipe	
7,	50200	6 in. Class B pipe	7.20
48.	W30035	Bolt, mechanical joint, 4 & 6 in., w/nut W30375	15.50 1.30
49.	W30104-L	Analysis manhard and delegated to the second	
49.	W30104-L W30106-L	Gasket, mechanical joint, 4 in., lead tipped	3.10
404		6 in. lead tipped	3.95
49A.	W30104-R	Gasket, mechanical joint, 4 in., rubber	2.35
50.	W30106-R 5787	6 in. rubber Gasket, flanged joint, 6 in.	2.90 1.75
51.	W1012-44CA	Bolt, flanged connection, 6 in., w/nut W2012CA	.75
54.	51067	Bushing, drain	.35
56.	71313	Support	22.30
56A.	71728	Support (oil reservoir-Omaha type)	23.00
56B.	71611	Support (oil reservoir-Memphis type)	27.90
57.	W3724-4	Packing, 0-Ring - operating nut (1 required)	.25
59.	W3718-4	Packing, O-Ring (2 required)	.15
60.	80684-L,-R(4)	Nozzle section, only, DD - LH or RH	52.00
	80571-L,-R(4)	Nozzle section, only, DDP - LH or RH	
	80709-L,-R(4)	Nozzle section, only, PP - LH or RH	57.00 92.00
		·	
61.	61741	Plate, bury depth, w/washers	.40
62.	61726	Clamp, lock ring	1.10
63.	61724	Flange, breakoff section	10.00
64.	50676	Ring, flange lock	1.80
67.	51472	Sleeve, coupling (2 halves = 1 set)	3.95
67A.	51645	Sleeve, coupling, Bronze (2 halves = 1 set)	17.10
71.	61737-L,-R(4)	Rod only, breakoff, upper, w/bushing - LH or RH	15.00
72.	61738-L	Rod, lower (add length of hydrant)	24.00
74.	K-431	Extension assembly, valve rod, WB-67 (6" minimum)	16.50
75.	K-432-L,-R(4)	Extension assembly, valve rod, W-67 (12" minimum)	20.00
	Notes: (1) Part	number varies with thread and, where applicable, nut type. number varies with cap size.	
	(2) Part	number varies with thread size.	
		is OPEN LEFT HYDRANT, (-R) is OPEN RIGHT HYDRANT.	

2

All prices subject to change without notice.

EF.	PART NUMBER -	DESCRIPTION OF PARTS	UNIT PRICE
·-	HOLIDER		\$ .15
76.	W23038-5	Setscrew, rod extension	120.00
78.	(6)	Lightweight valve seat removal wrench	1.20
80.	51475	Washer, thrust, Teflon (used before 1970 - see No. 90)	.25
81.	W10103-7C	Pin, groove, Type 2, Beryllium copper, 3/32/ x 7/16 in.	.35
82.	51477	Seal, tube, upper (0-Ring W3738-4 optional)	.3.
83.	51513	Seal, tube, lower (0-Ring W3730-4 optional)	.30
84.	51479	Gasket, support (2 required)	.40
85.	61725	Tube, support	8.60
5A.	62197	Tube, support (oil reservoir-Omaha type)	30.00
86.	W2416CA	Nut, stop - Open left hydrant	.40
00.	W2416-LCA	Nut, stop - Open right hydrant	. 40
87.	V1853	Nut, coupling (4 required)	.50
88.	51481	Stud, coupling (2 required)	.90
89.	51471	Bushing, Nylon	1.0
90.	V1954	Ring, thrust, Teflon (used since 1970) (see #17C)	.6
91.	W6504B	Plug, sq hd pipe, brass, 1/4 in. (U.L. press. tap)	2.3
92.	51584	Gasket, breakoff flanged (lipped)	1.2
93.	51611	Plate, identification (U.L.)	2.0
94.	W9006-4	Screw, rd hd drive, No. 6 x 1/4 in. (2 required)	.1
98.	W37104-4	Packing, O-Ring (Bronze to Bronze valve seat)	1.6
99.	W66048	Plug, oil level (oil reservoir)	.6
		SPECIALS	
		No. of Contract Contr	
	61423-1	2-1/2 in. cap (NST thread), tapped, 1-1/4 in. NPT	25.0
	61423-2	2-1/2 in. cap (Waterous Std. threads), tapped 1-1/4 in. NPT	25.0
	51193-1	Plate, instruction (no drain)	3.0
	V-1746 (6-V)	Jabsco "Water Puppy" pump	· P0
	V-1739 (12-V)	Jabsco "Water Puppy" pump	80.0
	V-1747	Service Kit, Jabsco pump, 6 & 12 V	8.2
	V-1935	Oil, operating nut (1 pint)	1.0
	V-1934	Hydrant grease (1 pound)	1.8
	V-2056R	Spray paint (touch-up) (red)	3.5
	V-2056Y	Spray paint (touch-up) (yellow)	3.5
	V-1321	Pear-shaped rings (chains)	.9
	V-2022	Hydrant hose gate valves	80.0
	71542	Insert, valve seat	50.0
		Sleeve, safety lock	6.
	51 686		
	51686 62024-(N) (5)	Extension, Weathershield nut	14.3
			23.1

Notes: (1) Part number varies with thread and, where applicable, nut type.

(2) Part number varies with cap size.

(3) Part number varies with thread size.

(4) (-L) is OPEN LEFT HYDRANT, (-R) is OPEN RIGHT HYDRANT.

(5) Replace (N) with number corresponding to correct nut size.

(6) Part number varies with length of hydrant

All prices subject to change without notice.

# HYDRANT SUBASSEMBLIES (Numbers in parentheses in Description Column are quantities for each reference number)


REF.	PART	DESCRIPTION OF PARTS	UNIT PRICE
NO.	NUMBER		\$ 7.75
Λ.	K-430	BREAKABLE COUPLING ASSEMBLY #67 (1), #87 (4), #88 (2)	·
в.	K-431	ROD EXTENSION ASSEMBLY (See Ref. #74) Traffic Model WB-67 Hydrant #74 (1), #67 (1), #68 (2), #87 (4) H-267 Instruction Sheet (1) 6 in. Winisum, indicate extension length.	16.50
c.	K-432-L,-R	ROD EXTENSION ASSEMBLY (See Ref. #75) Non-Traffic Eddel W-67 Hydrant #75 (1), #25 (1), #76 (4) H-269 Instruction Sheet 12 in. Hinisum, indicate extension length.	20.00
Е.	K-434	TOP EXTENSION Non-Traffic Hydrant - 12 in length minimum* #84 (2), #92 (1), #64 (2), #6A, #63 (2), #45 (1), #61 (1), #68 (4)	55.00
		*Add for each 6 in. additional length	9.00
E-1.	K-434/K-432	TOP & ROD EXTENSION ASSEMBLY, COMPLETE - 12 in.	75.00
P-T-	K 4547K 10-	(consists of C & E) 12 in. minimum*  *Add for each 6 in. additional length	9.00
F.	K-434B	TOP EXTENSION Traffic Model Hydrant - 6 in. length minimum* #84 (2), #92 (2), #64 (2), #64 (4), #63 (2),	48.50
		#45 (1), #61 (1), #6B (8)  *Add for each 6 in. additional length	9.00
	- 1017/11/21	TOP & ROD EXTENSION ASSEMBLY, COMPLETE 6 in.	65.00
F-1	K-434B/K-431	(consists of B & F) 6 in. minimum* *Add for each 6 in. additional length	9.00
н.	K-436	KIT, UPPER VALVE ROD, WB-67 #71, (1), #67 (1), #87 (2), #86 (1), #88 (1)	22.00
Ι.	, K-437	KIT, LOWER VALVE ROD, WB-67 #72 (1), #8 (1), #88 (1), #87 (2) Indicate length of hydrant	27.00
J.	K-438	KIT, STANDPIPE ASSEMBLY W-67 7'0" cover* #64 (2), #5 (1), #84 (2), #6 (4), #6A (4),	157.00
		#62 (8), #29 (1), #61 (1)  #ror each 6 in. variation, add or substract	9.00
к.	K-439	KIT, STANDPIPE ASSEMBLY WB-67 7'0" cover* #64 (2), #5 (1), #6 (4), #63 (1), #62 (4)	146.00
,		#64 (2), #5 (1), #6 (4), #63 (4), #62 (1), #61 (1), #61 (1), #61 (4), #92 (1), #67 each 6 in. variation, add or substract	9.00
		KIT, VALVE ROD ASSEMBLY, W-67	33.50
L.	K-440	#28 (1), #8 (1) Indicate direction of opening and length of hydrant	
м.	K-436/K-437	KIT, VALVE ROD ASSEMBLY, WB-67 Includes "H" and "I" above	47.50
		All prices subject to change without notice.	. 4

JUS I MY

W.

(#9) Chains

REF.	PART NO.	DESCRIPTION OF PARTS	UNIT PRICE
х.	K-468	KIT, TOP ASSEMBLY, DD, WB-67 HYDRANT with B/O Section and Upper Rod Includes "U" above less pumper nozzle, cap, gasket and chain	\$214.00
Υ.	K-469	KIT, TOP ASSEMBLY, PP, WB-67 HYDRANT with B/O Section and Upper ROD and Includes "Uf" above less both hose nozzkes, caps, gaskets, and chains; plus one (1) pumper nozzle, cap, gasket and chain.	249,00



#### LAR VA' B'URNA II LAMELIAN DEPARTMENT OF PURCHASES Number One Main St., Ft. Wayne, Ind. 46802

INVITATION

429 Ref. No. April 12, 1977

·1 of 6

Constitute, subject to the conditions on the reverse hereof, are requested on the following list of materials, supplies, equipment or services, for the department as manifored, with delivery to destination as shown below. Contailous shall include all charges for delivery, packing, etc. Address your reply as indicated below;

Date . Date wanted \_ llav 19.

\*Mail all replies and A.C. Lord 423-7037 DEPARTMENT OF PURCHASES

46802

REQUIRED FOR DELIVERY TO:

Room 470, Number One Main St., Ft. Wayne, Ind.

Fund Appropriation No.

Department Water Maintenance & Service Department

or Division

415 East Wallace Street Address Fort Wayne, Indiana 46803

RETURN ORIGINAL TO THE CITY - RETAIN DUPLICATE COPY FOR YOUR FILE

Time of Bids Thursday, May 19, 1977 at 10:30 A.M.

TAKES: THE CITY IS EXEMPT FROM FEDERAL EXCISE AND INDIANA STATE SALES TAX. THE CITY'S INDIANA SALES TAX EXEMPTION CERTIFICATE NUMBER IS NO, 1466. PRICES ENOULD NOT INCLUDE THESE TAXES, See "Instructions to Bidder" No. 10 cm reverse berief for details. TAX EXEMPT (Unless otherwise indicated)

Quantity	Unit	Majorials, Supplies, Equipment or Services	Units Prise	Annest
- :		Fire Hvdrants - Specifications Attached.  Estiamted usage for July 1, 1977 thru December 31, 19  The enclosed Non-Collusion Affidavit must be properly executed and returned as part of your bid  We require a guaranteed firm price for the period July 1, 1977 thru December 31,1977 and delivery to our yard within 30 days notification of release. This will not be a one time purchase. It is anticipated that release quantities will be 25 to 30 hydrants per release.	1	en ge
		Your parts list, with discounts, must accompany your bid.  A blanket purchase order will be issued to the successful company, after necessary Councilmanic Approval, and the hydrants are to be delivered only upon issuance of departmental purchase orders.		

Bid Bond required	NO YES		Performance Bond			
Did Dong required	ш ы	See Instan	etion Item No. 18 on reverse side ber	·oL		
Terma 2 %	cash discount	if paid within 30	days from delivery and	accep	tance of g	oods or completion of services

IMPORTANT EF

PROPOSAL OR BID

In compliance with the shore invitation for hids and subject to all conditions through the understood offers and surrans, if this hid be assembled within a reasonable time from that of closing, to forming any or all of the items or reader rates arrives upon which prices are quoted, in accordance with the predictions applying and at the prices and opposite and line. Delivery of any or all of the items or completion of services indicated shall be made within 90 days from receipt of order 5 As delivery may be a deciding factor in the award of an order, it is important that biddees furnish the information requested above

1	Blan Herrs	
•	MUELLER CO.	
	Kale V & Alay Sales Ser	vic
	1401 Mueller Avenue	Mgr
	Address	

Chattanooga, TN 37406 205/11/7

# FIRE HYDRANT SPECIFICATIONS Section D - Fire Hydrants (Mains)

Fire hydrants used in the construction of water mains shall
be of the traffic type and shall be made in accordance with the
latest revisions of the American Water Works Association Standards,
designation C502; shall have a six (6) inch mechanical joint bell
inlet at the base and all jointing accessories in accordance with
section Λ-4a of these standards, shall open by turning left
(counter clockwise), shall have a minimum valve opening of five
(5) inches, shall be equipped with 0-ring packing, one and one-half
(1-1/2) inch pentagon operating nut, one four and one-half (4-1/2)
inch pumper and two (2) two and one-half (2-1/2) inch hose connections, all on the plane, and having National Standard Fire Hose
throads of four (4) threads and seven and one-half (7-1/2) threads
per inch, respectively, and a ground line flange and shall be
mainted Federal Yellow.

The fire hydrant barrels shall be of sufficient length so as to connect with the hydrant leg, attached to the water main, and so the ground line flange is not less than two (2) inches or more than six (6) inches above the finished grade of the adjacent area.

Each fire hydrant shall be installed with a six (6) inch mechanical joint valve between it and the main to which it is connected. There shall be a twenty four (24) inch nipple of six (6) inch pipe between the valve and the hydrant. The following fire hydrants, or approved equals, are the only fire hydrants which will be accepted for use in connection with water main installations:

BRAND NAME:		CATALOG NO.
Kennedy		K-10B
American - Darling		B-62B
Traverse City		H-1-M
Naterous		WB-67
Mueller	r	A-419

ESTIMATED USAGE - 75

	301.30
Hydrant Traffic Type 5' 6" Bury MUELLER® H-419	.\$ <del>329.60</del>
-	6-30
Add or Deduct for each 6" variation in trench depth	.\$ 6.95
Percentage of discount from included parts list	-0-

Alternate Proposal --

Add or deduct for each 6" variation in trench depth \$ 6.30

Percentage of discount from included parts list 0

## Parts for 5-1/4" A-419 MUELLER®Fire Hydrant-

H-51	Operating Nut\$	27.06
н-66	Pumper Nozzle\$	. 31.38
H-68	Pumper Cap Gasket\$	1.75
н-69	Cap Chain\$	1.44
H-70	Hose Nozzle\$	9.75
H-72	Hose Nozzle Gasket\$	.55
H-80	Lower Barrel 5 ft. Bury\$ For each 6" variation\$	170.12 16.16
H-81	Drain Valve Facing\$	.77
H-82	Drain Valve Facing Screw\$	.23
H-84	Shoe Gasket\$	2.48
H-85	Shoe Bolt and Nut\$	1.07
H-88	Main Valve\$	21.18
H-89	Lower Valve Plate\$	3.55
H-91	Cap Nut\$	3.36
H-93	Stem "O" Ring\$	1.07
H-96	Hydrant Oil - 8 oz\$	2.77
H-98	Oil Filler Plug\$	.55
H-100	"O" Ring\$	1.07
H-101	Hold Down Nut "O" Ring\$	1.07
H-125	Safety Stem Coupling\$	9.28
H-131	Lock Washer\$	.55
н-136	Clevis Pin\$	1.46
H-137	Cotter Pin\$	.23

## Parts for 5-1/4" A-419 (Continued)

H-201	Weather Cap\$	10.35
H-202	Hold Down Nut\$	10.54
H-203	Lock Washer\$	2.77
H-204	Upper Barrel w/Housing (less nozzles)\$	192.10
H-205	Hose Nozzle Cap\$	10.08
H-206	Upper Stem\$	20.31
H-207	Pumper Nozzle Cap\$	23.69
H-208	Upper Barrel Seal\$	1.46
H-209	Safety Flange Bolt and Nut\$	1.07
H-210	Safety Flange Clip\$	.93
H-211	Lower Stem 5 ft. Bury\$ For each 6" variation\$	23.57 1.75
H-212	Upper Valve Plate\$	36.20
H-213	Seat Ring\$	42.08
H-214	Shoe\$	127.32
H-215	Seat Ring Seal\$	2.61
н-216	Stem Pin\$	1.13
H-217	Seat Ring "O" Ring Seal\$	2.77
H-219	"O" Ring Seal\$	1.07

# DEPARTMENT OF PURCHASES

Number One Main St., Ft. Wayne, Ind. 46802 INVITATION

Cooksions, subject to the conditions on the reverse hereof, are requested on the following list of materials, supplies, equipment or services, for the desparasent as mentioned, with delivery to destination as above below, (rotations shall include all charges for delivery, packing, etc. Address your reply as indicated below).

Indicated below.\*

\*Mail all replies and correspondence, that had A.C. Lord 423-7037 DEPARTMENT OF PURCHASES

Room 470, Number One Main St., Ft. Wayne, Ind. 46802

Department or Division Water Maintenance & Service Department

415 East Wallace Street

Address Fort Wayne, Indiana 46803

RETURN ORIGINAL TO THE CITY - RETAIN DUPLICATE COPY FOR YOUR FILE

Closing

Time of Bids Thursday, May 19, 1977 at 10:30 h.M.

TAXES: THE CITY IS EXEMPT FROM FIDERAL EXCISE AND DIDUNA STATE SALES TAX THE CITY'S INDIANA SALES TAX EXCAPTION CENTURICATE NUMBER IS NO, MICH. FRICES SECULD NOT INCLUDE THESE TAILS. E.M. THAT SHE CITY'S INDIANA SALES TAX EXEMPTED AND THE TAILS. E.M. THAT CONTROL OF TAX EXEM PT (Unless otherwise indicated)

Quantity	Unit	Majoriala, Supplies, Equipment or Services	Price	Ament
		Fire Hydrants - Specifications Attached.		
•		Estiamted usage for July 1, 1977 thru December 31, 19	77	
		The enclosed Non-Collusion Affidavit nust be properly executed and returned as part of your bid	\$320.00 ea.	3
	,	We require a guaranteed firm price for the period July 1, 1977 thru December 31,1977 and delivery to our yard within 30 days notification of release. This will not be a one time purchase. It is antici- pated that release quantities will be 25 to 30 hydrants per release.		
		Your parts list, with discounts, must accompany your bid.		
	ı	A blanket purchase order will be issued to the successful company, after necessary Councilmanic Approval, and the hydrants are to be delivered only upon issuance of departmental purchase orders.		

١.		4		la.i	, .									
							See instruc	tion Item lio. 1	d on reverse side	berroi.				
7	Cerms_	2.	_%	cash	discount	if paid with	in 10	_days from	n delivery a	nd accer	tance of	goods o	r completion	of services.
-		o da	VS T	rox	- net	30 days	~	PARATAT	OT TITO					

In ORAYS DECX - Ret 30 GRAYS

PROPOSAL OR BID

Is compliance with the above introduction by this and middle to be all conditions thereof, the understand offers and agrees, if this hid be accompled within a resourched tree form expension closing, to firming any or all of the limits or resolved with surpless times which prime are quoted, in accordance with the general-model as the refer set opposite set hillion.

Delivery of an Ive all of the items or completion of services indicated shall be made within 2 days from receipt of order of in CHICAGO STOCK IMPORTANT is delivery may be deciding their to be award of an order, it is become the product of the control of the product of the control of the con

1	TRAVERSE CLUTTIAN WORKS
	CHGO OFFICE MG
	11861 Cottage Grove
J	CHICAGO, 1L 60473 5/12/77

Page 1 of 6

429

Date \_\_April 12, 1977

Date wanted linv 19

Appropriation No.

Fund

# FIRE HYDRANT SPECIFICATIONS Section D - Fire Hydrants (Mains)

Fire hydrants used in the construction of water mains shall be of the traffic type and shall be made in accordance with the latest revisions of the American Water Works Association Standards, designation C502; shall have reasize (6) incheseobant callipoint beld in let at the base and all jointing accessories in accordance with section A-4a of these standards, shall open by turning left; (counter clockwise), shall have a minimum valve opening official inches, shall be equipped with oring manning one and one-half (1-1/2) inch pentagon operating and, one four and one-half (4-1/2) inch pumper and two (2) two and one-half (2-1/2) inch hose connections, all on the plane, and having National Standard Fire Hose threads of four (4) threads and seven and one-half (7-1/2) threads per inch, respectively, and a ground line frange and shall be painted Federal Yellow!

The fire hydrant barrels shall be of sufficient length ao as to connect with the hydrant leg, attached to the water main, and so the ground line flange is not 1088 than two (2) inches or mord than six (6) inches above the finished grade of the adjacent area.

Each fire hydrant shall be installed with a six (6) inch mechanical joint valve between it and the main to which it is connected. There shall be a twenty four (24) inch nipple of six (6) inch pipe between the valve and the hydrant. The following fire hydrants, or approved equals, are the only fire hydrants which will be accepted for use in connection with water main installations:

BRAND NAME:	CATALOG NO.
Kennedy	K-10B
American - Darling	B-62B
Traverse City	H-1-M
Naterous	WB-67
Mueller	Λ-419

ESTIMATED USAGE - 75

Hydrant Traffi	ld Type 5'	6" Bury\$_	320.00 ea.
Add or Deduct	for each	6" variation in trench depth\$_	7.00
Percentage of	discount	from included parts list	10%

# DEPARTMENT OF PURCHASES

Number One Main St., Ft. Wayne, Ind. 468

Coctations, publish to the conditions on the reverse bereal, are requested on the following list of materials, supplies, enginees or services, for the desputement as manifound, with delivery to destination as above below. Contations shall include all charges for delivery, packing, etc. Address your reply as indicated below.

Ref.	No.	429

Page ·1 of ·6

Deta April 12, 1977

Date wanted Hav 19

Appropriation No.

Fund

\*Hall all replies and A.C. Lord 423-7037 DEPARTMENT OF PURCHASES

Room 470, Number One Main St., Ft. Wayne, Ind. REQUIRED FOR DELIVERY TO:

Department or Division . Water Haintenance & Service Department

or Division water nathtenance & Service Department
415 East Wallace Street
Address Fort Wayne, Indiana 46803

RETURN ORIGINAL TO THE CITY—RETAIN DUPLICATE COPY FOR YOUR FILE Closing

Time of Bids Titureday, Hay 19, 1977 at 10:30 A.H.

TATES THE CITY IS TENDED FROM FEDERAL FIGURE AND INDIANA SATE SALES TAX THE CITYS FINING SALES TAX FIRST TAX FIRST

Quantity	Unit	Majariala, Supplies, Aquipment or Serrices	Unit Prise	Young Amount
		Fire Hydrants - Specifications Attached.		
		Estiamted usage for July 1, 1977 thru December 31, 197 The enclosed Hon-Collusion Affidavit must be properly		
		executed and returned as part of your bid  We require a guaranteed firm price for the period July 1, 1977 thru December 31,1977 and delivery to		1
		our yard within 30 days notification of release. This will not be a one time purchase. It is anticipated that release quantities will be 25 to 30 hydrants per release.		
		Your parts list, with discounts, must accompany your bid.		
	' .	A blanket purchase order will be issued to the successful company, after necessary Councilmanic Approval, and the hydrants are to be delivered only upon issuance of departmental purchase orders.		
Bid Bond	remired	NO YES Performance Bond E	-	

Ess inspection two No. 18 on trained blue of the brest.

Terms 2 % cash discount if paid within 10 days from delivery and acceptance of goods or completion of services.

PROPOSAL OR BID

In compliance with the above invitation for hids and subject to all conditions thereof, the underlyined ofters and agrees, if this hid be accepted within a reasonable time from time of cicelar, to trustals any or all of the items or reader such services when the accordance with the predictions amplitude and the prices set opposite such lies.

Delivery of any or all of the items or completion of services indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

DEPORTANT To the indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

Level 100 to the items of completion of services indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

DEPORTANT To the items of completion of services indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

DEPORTANT To the items of completion of services indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

DEPORTANT To the items of completion of services indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text{days from receipt of order}\$

The indicated shall be made within \$\frac{5}{2}\text

Kennedy, Valve Mfg. Co., Inc.	
Anthony C. DeSocio, Sr. The.	Assistant Secretary
Anthony C. DeSocio; Sr.	
1021 E. Water Street	

Co. Elmira, New York 14902 Day 5/9/7/

# FIRE HYDRANT SPECIFICATIONS Section D - Fire Hydrants (Mains)

Fire bydrants used in the construction of water mains shall

be of the traffic type and shall be made in accordance with the latest revisions of the American Nater Works Association Standards, designation C502; shall have a six (6) inch mechanical joint bell inlet at the base and all jointing accessories in accordance with section A-4a of these standards, shall open by turning left (counter clockwise), shall have a minimum valve opening of five (5) inches, shall be equipped with 0-ring packing, one and one-half (1-1/2) inch pentagon operating nut, one four and one-half (4-1/2) inch pumper and two (2) two and one-half (2-1/2) inch hose connections, all on the plane, and having National Standard Fire Hose threads of four (4) threads and seven and one-half (7-1/2) threads per inch, respectively, and a ground line flange and shall be painted Federal Yellow.

The fire hydrant barrels shall be of sufficient length so as to connect with the hydrant leg, attached to the water main, and so the ground line flange is not less than two (2) inches or more than six (6) inches above the finished grade of the adjacent area.

Each fire hydrant shall be installed with a six (6) inch mechanical joint valve between it and the main to which it is connected. There shall be a twenty four (24) inch nipple of six (6) inch pipe between the valve and the hydrant. The following fire hydrants, or approved equals, are the only fire hydrants which will be accepted for use in connection with water main installations:

BRAND NAME:	CATALOG NO.
Kennedy	K-10B
American - Darling	B-62B
Traverse City	H-1-M
Vaterous	WB-67
Mueller	A-419

### ESTIMATED USAGE - 75

Hydrant Traff:	ic Type 5'	6" Bury\$ 326.00	
Add or Deduct	for each	6" variation in trench depth\$ 6.50	
Percentage of	discount	from included parts list 10	5

# REPAIR PART PRICES - FIG. K-10 STANDARD FIRE HYDRANTS

DESCRIPTION	4 %," and 5"	DESCRIPTION	4 1/3" and 5"
Cap Bolt w/Nut, ea.  Operating Stem Nut w/Alemite Fitting	\$ 1.75 32.90	Lower Standpipe Sections for 5' Trench, or Less	164.35
"O" Ring Seals, Set of 2	2.60	Add for Each 6" Increase	14.50
Con	34.65	Drain Valve, w/Facings, and Top Plate	27.65
Lock Nut w/Set Screw	8.35	Drain Valve Facings, Pair	3.90
Cover Plate	21.25	Elbow Balt w/Nut, ea.	1.90
Cover Plate Bolt w/Nut,ea.	1.90	Elbaw Gosket	2.60
Cover Plate Gasket	2.60	Seat Ring w/Gosket	37.55
Nozzla Cop Hook, eg.	1.15	Seat Ring Gasket Only	3.15 18.30 10.35
foze Nozzie Cop Gasket	1.25	Balata or Neoprene, Main Volve	
Steomer Nazzle Cap Gasket	2.20	Bottom Plate	
foze Nozzle	13,80	Elbow w/Drain Tubing:	
teamer Nazzle	29.40	4" Bell (4 1/2" Hydrant Only)	90.30
loze Nozzle Cop w/Gasket	10.70	6" Bell	107.90
reamer Nazzle Cap w/Gasket	• • • •	4" Mechanical Joint or Flanged (4 1/2" Hydro	int Only) 93,70
	24.05	6" Mechanical Joint or Flanged	114.45
lozzle Screw	A5	Top Plote 5" Size "Only"	8,20
lozzle Cap Choins For Two 2 1/3 " Nozzles	1.90	Extension Spool Complete w/Stem Section,	
For Two 21/2" and One Steamer Nazzle	2,25	Coupling, Pin, Bolts, Nuts and Gasketss Fax 6" Increase	\$ 80.05
Ipper Standpipe Sections		For 12" Increase	97.45
w/Two 21/3" Nozzles w/Cops and Chains	186.00	For 18" Increase	104.45
w/Two Hose & One Steamer Nazzle		· For 24" Increase	144,60
inserted w/Cops & Chains	239.30	For 30" Increase	148,85
tondpipe Bolt w/Nut, ea.	1.90	For 36" Increose	159.30
tandpipe Gasket	2.85	For 42" Increose	163.70
tem w/Wrench Guide and Set Screws for 5' Trench, or Less	36.65	For 48" Increose	190.00
Add for each 6" increase	2.35	10. 40	, , 0.00
And the edge o increase	2.33	Fig. 114 Seat Removing Wrench For One Depth of Trench	
		Extension Wing Nut to Make Fi	g.

REPAIR PART PRICES - FIG. K-10-B TRAFFIC MODEL HYDRANT - DITTO ABOVE PLUS THE FOLLOWING:

NOTE: When ordering any hydrant parts specify the following: Size & Fig. No. of hydrant, direction open, depth of true threading, size and shape of operating and cap nuts.

114 Wrench Adj. 6", 12", 18", &

DATE Novil 25, 1077  Dire Hydrants  VENDORS NAME & ADDRESS  Vator Maint, 8 5017	· · · · · · · · · · · · · · · · · · ·	BIDS PICKED UP	BIDS MAILLU	
Kennedy Valve 1021 S. Water St. Llmira, NY	C		April 25, 197	7
Traverse City Iron t 11861 Cottage Grove Chicago, Ill. 60628	Ave.		λpril 25, 1977	
Waterous Hfg. Co. 803 S. Fillmore St. Paul Minn. 55107			April 25, 1977	
Water Works Supplies F.O. Box 29100 Cumberland, Ind.	Inc.		April 25, 1977	
Clow Corp. 51591 U. S. 31N. South Bend, Ind. 463	7		April 25, 1977	
Treaty Company 4020 Wells Street	April 27, 1977	April 28, 1977		
Cooper Distributing 3205 N. Wells Street	April 27, 1977	Hav 9, 1977		
Tri-State Plumbing 1120 Taylor Street	April 27, 1977	Hay 9, 1977		
		A COLOR OF THE COL		especial and a second a second and a second
				A TAXABLE TO THE STATE OF THE S
:				etagge udit dis-

TITLE OF ORDINANCE SPECIAL ORDINANCE - CITY UTILITIES BLANKET PURCHASE ORDER #B-8972
DEPARTMENT REQUESTING ORDINANCE BOARD OF PUBLIC WORKS
SYNOPSIS OF ORDINANCE CITY UTILITIES BLANKET PURCHASE ORDER #B-8972 TO COOPER
DISTRIBUTING FOR FIRE HYDRANTS FOR THE WATER MAINTENANCE & SERVICE DEPT.
PER BID REFERENCE #429
(SEE ATTACHED MEMORANDUM)
FITTER OF DACCACE THORATA AND OF PIDE HADDANGS THREE NECESSARY & IRCENT
EFFECT OF PASSAGEINSTALLATION OF FIRE HYDRANTS WHERE NECESSARY & URGENT
THE PART OF THE PA
EFFECT OF NON-PASSAGEENDANGERING THE SAFETY OF CITIZENS IN AREA WHERE FIRE
HYDRANTS ARE TO BE INSTALLED
MONEY INVOLVED (DIRECT COSTS, EXPENDITURES, SAVINGS)
ASSIGNED TO COYMITTEE
· · · · · · · · · · · · · · · · · · ·

EP White